

MATERIAL SAFETY DATA SHEET

EM DIAGNOSTIC SYSTEMS, INC.
480 DEMOCRAT ROAD
GIBBSTOWN, N.J. 08027
609-423-63000
CHEMTREC EMERGENCY NO: 1-800-424-9300
DATE ISSUED: 8/16/85

DATE REVISED: 11/01/89

1. IDENTIFICATION

PRODUCT NAME: GILL MODIFIED EA
CATALOG NO.: 65068
CHEMICAL NAME: NA
SYNONYM: NA
CAS #: NA
CHEMICAL FAMILY: NA
FORMULA: NA
FORMULA WEIGHT: NA

2. PHYSICAL DATA

BOILING POINT: (DEGC) 78.32DEGC
MELTING POINT: (DEGC) NA
VAPOR PRESSURE: (@20DEGC) 40MM @ 19DEG
VAPOR DENSITY: (AIR = 1) NA
PERCENT VOLATILES BY VOLUME: 90%
SPECIFIC GRAVITY: NA
SOLUBILITY IN WATER: MISCIBLE
APPEARANCE AND ODOR: ALCOHOLIC
EVAPORATION RATE (BUTYL ACETATE = 1): NA

SECTION 313 SUPPLIER NOTIFICATION THIS PRODUCT CONTAINS THE
FOLLOWING TOXIC CHEMICALS (*) SUBJECT TO THE REPORTING REQUIREMENTS
OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW
ACT OF 1986 AND OF 40 CFR 372. THIS INFORMATION MUST BE INCLUDED IN
ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL.

3. HAZARDOUS INGREDIENTS CONC. CAS#

GLACIAL ACETIC ACID	2.0%	64-19-7
* ABSOLUTE METHANOL	25.0%	67-56-1
DENATURED ALCOHOL	70.0%	64-17-5

PAGE 1

THE STATEMENTS CONTAINED HEREIN ARE OFFERED FOR INFORMATIONAL
PURPOSES ONLY AND ARE INTENDED TO BE FOLLOWED ONLY BY PERSONS
HAVING RELATED TECHNICAL SKILLS AND AT THEIR OWN DISCRETION AND
RISK. SINCE CONDITIONS AND MANNER OF USE ARE OUTSIDE OUR CONTROL
WE MAKE NO WARRANTIES, EXPRESS OR IMPLIED, AND ASSUME NO LIABILITY
IN CONNECTION WITH ANY USE OF THIS INFORMATION.

4. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: 78 DEG(O.C.) ; 67.0DEGF C.C.
FLAMMABLE LIMITS: UEL: 19% @ 60DEG LEL 3.3%
EXTINGUISHING MEDIA: CO2, ALCOHOL FOAM, DRY CHEMICAL

SPECIAL HAZARDS AND PROCEDURES: KEEP AWAY FROM OPEN FLAME AND SPARKS.
UNUSUAL FIRE AND EXPLOSION HAZARDS: FIRE: DANGEROUS, WHEN EXPOSED TO HEAT OR FLAME. EXPLOSION: MODERATE WHEN EXPOSED TO HEAT.

5. HEALTH HAZARD DATA

TOXICOLOGY: SKIN: () CORROSIVE (X) NON-CORROSIVE
SKIN; (X) IRRITANT () NON-IRRITANT

EYE: (X) IRRITANT () NON-IRRITANT
EYE: () CORROSIVE (X) NON-CORROSIVE
LD50: GREATER THAN 10 GM/KG - ORAL - RAT
THRESHOLD LIMIT VALUE: (AIR) ETHYL ALCOHOL: TLV-TWA: 1000
PPM/1900MG/M TLV-STEL: NONE LISTED. CEILING LIMIT: NONE FOUND.
EFFECTS OF OVEREXPOSURE: MAY IRRITATE EYES AND SKIN. HARMFUL
IF SWALLOWED; CAN CAUSE BLINDNESS
FIRST AID PROCEDURES:
EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER; CONTACT A
PHYSICIAN.
SKIN: WASH WITH SOAP AND WATER.
INHALATION: REMOVE TO FRESH AIR
INGESTION: CONTACT A PHYSICIAN IMMEDIATELY.

6. REACTIVITY

STABLE (X)
UNSTABLE ()
CONDITIONS TO AVOID: HEAT, FLAME, SPARKS
MATERIALS TO AVOID: NONE
() WATER () ACIDS () BASES () CORROSIVES () OXIDIZERS
(X) OTHER (SPECIFY) : ACETYL CHLORIDE, (AG20 + NH OH),
BRF5, CA (OC1)2, C1O3, CRO3, CR(OC1)2, (CYANURIC ACID
+ H2), H2O2, HNO3, (H2O2 + H2SO4), (I +
CH3OH + HGO), DISULFURYL DIFLUORIDE, OXIDANTS, PLATINUM,
MN(C1O4)2 + 2,2-DIMETHYOXY PROPANE, HG(NO3)2, HCL04,
K02, KOC(CH3), (AG + HNO3), AGNO3, AGCL04,
NAH3N2, UO2 (CLO4)2
HAZARDOUS DECOMPOSITION PRODUCTS: NONE

PAGE 2

7. SPILL OR LEAK PROCEDURES AND DISPOSAL

IF RELEASED OR SPILLED: MOP UP WITH ABSORBENT PAPER TOWELS;
EVAPORATE UNDER A FUME HOOD.
WASTE DISPOSAL METHOD: TO BE PERFORMED IN COMPLIANCE WITH ALL
CURRENT LOCAL, STATE AND FEDERAL REGULATIONS.

8. SPECIAL PROTECTION INFORMATION

VENTILATION: LOCAL EXHAUST VENTILATION - FUME HOOD
RESPIRATORY PROTECTION: NA
PROTECTIVE CLOTHING: GLOVES
EYE PROTECTION: SAFETY GOGGLES
- WASH THOROUGHLY AFTER HANDLING -

9. SPECIAL HANDLING AND STORING INFORMATION

DOT - FLAMMABLE
WASH THOROUGHLY AFTER HANDLING
STORE AT CONTROLLED ROOM TEMPERATURE (15-20 C).

10. LABEL WARNINGS

DANGER! POISON. MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED.
FLAMMABLE. VAPOR HARMFUL. DO NOT GET IN EYES, ON SKIN, OR CLOTHING.
DO NOT BREATHE VAPOR. KEEP CONTAINER CLOSED. USE WITH ADEQUATE
VENTILATION. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. WASH
THOROUGHLY AFTER HANDLING.
CANNOT BE MADE NONPOISONOUS

PAGE 3 (LAST PAGE)