

MATERIAL SAFETY DATA SHEET

CGTA1-1; CGTA1-2; CGTA1-5

Revision Number 1, Revision Date July 01, 2004

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product code CGTA1

Product name 1000 ug/mL Tantalum

Common Name Tantalum in Dilute Nitric Acid Trace Hydrofluoric Acid

Manufacturer, importer, supplier Inorganic Ventures/IV Labs

195 Lehigh Avenue, Suite 4 Lakewood, NJ 08701 Web: www.ivstandards.com

Emergency telephone number 800-424-9300 CHEMTREC (24 hrs)

2. COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% Weight	ACGIH*	OSHA*
7732-18-5	Water	~95-99	N/A	N/A
7697-37-2	Nitric acid	~0-2	2 ppm TWA	2 ppm TWA; 5 mg/m3 TWA
7664-39-3	Hydrogen fluoride	<0.1	N/A	3 ppm TWA
7440-25-7	Tantalum	~0.1-1	5 mg/m3 TWA	5 mg/m3 TWA

^{*} ACGIH - Occupational Exposure Limits - TWAs

3. HAZARDS IDENTIFICATION

Emergency Overview

• Final product is not regulated

Eye contact ● Contact with eyes may cause irritation	
Skin contact	Causes severe burns
Inhalation	May cause irritation of respiratory tract
Ingestion	Harmful if swallowed

4. FIRST AID MEASURES

General advice	Show this safety data sheet to the doctor in attendance		
Skin contact	Wash off immediately with soap and plenty of water removing all		
	contaminated clothes and shoes		
	First treatment with calcium gluconate paste		
	Immediate medical attention is required		
Eye contact	 Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes 		
	Keep eye wide open while rinsing		
	Immediate medical attention is required		
Inhalation	Move to fresh air in case of accidental inhalation of vapours		
	If breathing is difficult, give oxygen		
	Immediate medical attention is required		
Ingestion	Call a physician or Poison Control Centre immediately		
	 If swallowed, seek medical advice immediately and show this container or label 		
	If conscious, drink plenty of water		
Notes to physician	Treat symptomatically		
Protection of first-aiders	Use personal protective equipment		

<i>-</i>	3E E1/			LIDEO
5 FI	< P - F I(SHTING	MI - A.S	HIRES

Flash point	NA

^{*} OSHA - Final PELs - Time Weighted Averages (TWAs)

MATERIAL SAFETY DATA SHEET CGTA1-1; CGTA1-2; CGTA1-5

Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
Specific hazards	Thermal decomposition can lead to release of irritating gases and vapours
Specific methods	 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations
Special protective equipment for firefighters	 As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Under conditions giving incomplete combustion, hazardous gases produced may consist of:	 nitrogen oxides (NOx). F⁻¹.

6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	 Evacuate personnel to safe areas Keep people away from and upwind of spill/leak Wear personal protective equipment Ensure adequate ventilation 		
Environmental precautions	 Prevent further leakage or spillage if safe to do so Prevent product from entering drains 		
Methods for cleaning up	 Dam up Neutralize with lime milk or soda and flush with plenty of water Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container After cleaning, flush away traces with water 		

7. HANDLING AND STORAGE

Handling

Technical	Use only in area provided with appropriate exhaust ventilation		
measures/Precautions			
Safe handling advice	Wear personal protective equipment		

Storage

Technical	Keep in properly labelled containers		
measures/Precautions	 Store at room temperature in the original container 		
	 Keep containers tightly closed in a dry, cool and well-ventilated place 		
Incompatible products	organic materials		
	reducing agents		

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment		
Hand protection	impervious gloves	
Eye protection	tightly fitting safety goggles	
Respiratory protection	Ensure adequate ventilation	
Skin and body protection	Chemical resistant apron	
	Lab coat	
Hygiene measures	When using, do not eat, drink or smoke	
	Regular cleaning of equipment, work area and clothing	

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Form liquid.

MATERIAL SAFETY DATA SHEET CGTA1-1; CGTA1-2; CGTA1-5

AppearanceclearColourNone.OdourNone.

Important Health Safety and Environmental Information

pH 0 to 2
Boiling point/range 100°C
Flash point N/A
Vapour pressure NA.
Water solubility miscible.

10. STABILITY AND REACTIVITY				
Stability • Stable under normal conditions				
	Hazardous polymerisation does not occur			
Materials to avoid	organic materials			
reducing agents				
Hazardous decomposition • nitrogen oxides (NOx)				
products	• F-1			

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Component Information

CAS	Chemical Name	% Weight	LD50/oral/rat =	LD50/dermal/rat =
7732-18-5	Water	~95-99	N/A	N/A
7697-37-2	Nitric acid	~0-2	Inhalation LC50 Rat: 67 ppm(NO2)/4H	Inhalation LC50 Rat: 67 ppm(NO2)/4H
7664-39-3	Hydrogen fluoride	<0.1	Inhalation LC50 Rat: 1276 ppm/1H; Inhalation LC50 Mouse: 342 ppm/1H	Inhalation LC50 Rat: 1276 ppm/1H; Inhalation LC50 Mouse: 342 ppm/1H
7440-25-7	Tantalum	~0.1-1	N/A	N/A

Product Information

Local effects	 HF is toxic and can cause severe burns that are not apparent immediately. Symptoms may be delayed Poison 			
Skin irritation	Causes severe burns.			
Eye irritation	Irritant.			
Inhalation	Irritant.			
Ingestion	If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Harmful if swallowed.			
Chronic toxicity	Avoid repeated exposure. Prolonged exposure may cause chronic effects.			

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Component Information

Product Information

Do not allow material to contaminate ground water or sewage system

Other information

13. DISPOSAL CONSIDERATIONS

MATERIAL SAFETY DATA SHEET CGTA1-1; CGTA1-2; CGTA1-5

Waste from residues / unused products	In accordance with local and national regulations
Contaminated packaging	Empty containers should be taken for local recycling, recovery or waste disposal

14. TRANSPORT INFORMATION

DOT Final product is not regulated

IATA-DGR Final product is not regulated

15. REGULATORY INFORMATION

U.S. INVENTORIES:

CAS	Chemical Name	% Weight	CPCL*	NJRTK*	CERCLA/SARA*
7732-18-5	Water	~95-99	N/A	N/A	N/A
7697-37-2	Nitric acid	~0-2	N/A	sn 1356	1000 lb final RQ; 454 kg final RQ
7664-39-3	Hydrogen fluoride	<0.1	N/A	sn 1014	100 lb final RQ; 45.4 kg final RQ
7440-25-7	Tantalum	~0.1-1	N/A	sn 1775	N/A

^{*} CPCL - California - Proposition 65 - Carcinogens List

INTERNATIONAL INVENTORIES:

CAS	Chemical Name	% Weight	WHMIS*	EINECCS - European Union*
7732-18-5	Water	~95-99	N/A	231-791-2
7697-37-2	Nitric acid	~0-2	C; D1A; E	231-714-2
7664-39-3	Hydrogen fluoride	<0.1	D1A; E	231-634-8
7440-25-7	Tantalum	~0.1-1	N/A	231-135-5

^{*} WHMIS - Canada - WHMIS - Classifications of Substances

16. OTHER INFORMATION

The above information is believed to be accurate and represents the best information available to us. It has been compiled from the data presented in various technical publications and our experience and should only be used as a guide for handling this product. It is the user's responsibility to determine the suitability of this information for their particular purposes. We assume that only qualified individuals, trained and familiar with procedures suitable to this product will handle this material. Inorganic Ventures, Inc. assumes no responsibility and shall not be held liable for any damage resulting from misuse of this product.

*

^{*} NJRTK - New Jersey - Department of Health RTK List

^{*} CERCLA/SARA - Hazardous Substances and their Reportable Quantities

^{*} EINECCS - European Union - European inventory of Existing Commercial Chemical Substances (EINECCS)