

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product code MSTI-10PPM
Product name 10 ug/mL Titanium
Common Name Titanium in Dilute Nitric Acid Trace Hydrofluoric Acid
Manufacturer, importer, supplier Inorganic Ventures/IV Labs
 195 Lehigh Avenue, Suite 4
 Lakewood, NJ 08701
 Web: www.ivstandards.com
Emergency telephone number 800-424-9300 CHEMTREC (24 hrs)

2. COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% Weight	ACGIH*	OSHA*
7732-18-5	Water	~98	N/A	N/A
7697-37-2	Nitric acid	~2	2 ppm TWA	2 ppm TWA; 5 mg/m3 TWA
7664-39-3	Hydrogen fluoride	<0.1	N/A	3 ppm TWA
7440-32-6	Titanium	<0.1	10 mg/m3 TWA	15 mg/m3 TWA (total dust)

* ACGIH - Occupational Exposure Limits - TWAs

* OSHA - Final PELs - Time Weighted Averages (TWAs)

3. HAZARDS IDENTIFICATION

Emergency Overview

- Vapours may be irritating to eyes, nose, throat, and lungs
- Corrosive

Eye contact

- Contact with eyes may cause irritation

Skin contact

- Causes severe burns

Inhalation

- May cause irritation of respiratory tract

Ingestion

- Harmful if swallowed

4. FIRST AID MEASURES

General advice

- Show this safety data sheet to the doctor in attendance

Skin contact

- Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes
- First treatment with calcium gluconate paste
- Immediate medical attention is required

Eye contact

- Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
- Keep eye wide open while rinsing
- Immediate medical attention is required

Inhalation

- Move to fresh air in case of accidental inhalation of vapours
- If breathing is difficult, give oxygen
- Immediate medical attention is required

Ingestion

- Call a physician or Poison Control Centre immediately
- If swallowed, seek medical advice immediately and show this container or label
- If conscious, drink plenty of water

Notes to physician

- Treat symptomatically

Protection of first-aiders

- Use personal protective equipment

5. FIRE-FIGHTING MEASURES

Appearance	clear
Colour	None.
Odour	None.

Important Health Safety and Environmental Information

pH	0 to 2
Boiling point/range	100°C
Flash point	N/A
Vapour pressure	NA.
Water solubility	miscible.

10. STABILITY AND REACTIVITY

Stability	<ul style="list-style-type: none"> Stable under normal conditions Hazardous polymerisation does not occur
Materials to avoid	<ul style="list-style-type: none"> organic materials reducing agents
Hazardous decomposition products	<ul style="list-style-type: none"> nitrogen oxides (NO_x) F⁻¹

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Component Information

CAS	Chemical Name	% Weight	LD50/oral/rat =	LD50/dermal/rat =
7732-18-5	Water	~98	N/A	N/A
7697-37-2	Nitric acid	~2	Inhalation LC50 Rat: 67 ppm(NO ₂)/4H	Inhalation LC50 Rat: 67 ppm(NO ₂)/4H
7664-39-3	Hydrogen fluoride	<0.1	Inhalation LC50 Rat: 1276 ppm/1H; Inhalation LC50 Mouse: 342 ppm/1H	Inhalation LC50 Rat: 1276 ppm/1H; Inhalation LC50 Mouse: 342 ppm/1H
7440-32-6	Titanium	<0.1	Inhalation LC50 Rat: 400 mg/m ³ ; Inhalation LC50 Mouse: 100 mg/m ³ /2H	Inhalation LC50 Rat: 400 mg/m ³ ; Inhalation LC50 Mouse: 100 mg/m ³ /2H

Product Information

Local effects	HF is toxic and can cause severe burns that are not apparent immediately. Symptoms may be delayed
Skin irritation	Causes severe burns.
Eye irritation	Irritant.
Inhalation	Irritant.
Ingestion	If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Harmful if swallowed.
Chronic toxicity	Avoid repeated exposure. Prolonged exposure may cause chronic effects.
carcinogenic effects	Questionable carcinogen.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Component Information

Product Information

Do not allow material to contaminate ground water or sewage system

Other information

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products	<ul style="list-style-type: none">● In accordance with local and national regulations
Contaminated packaging	<ul style="list-style-type: none">● Empty containers should be taken for local recycling, recovery or waste disposal

14. TRANSPORT INFORMATION

DOT

UN-No	UN3264 / Class 8
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
Packing group	III

IATA-DGR

UN-No	UN3264 / Class 8
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
Packing group	III

15. REGULATORY INFORMATION

U.S. INVENTORIES:

CAS	Chemical Name	% Weight	CPCL*	NJRTK*	CERCLA/SARA*
7732-18-5	Water	~98	N/A	N/A	N/A
7697-37-2	Nitric acid	~2	N/A	sn 1356	1000 lb final RQ; 454 kg final RQ
7664-39-3	Hydrogen fluoride	<0.1	N/A	sn 1014	100 lb final RQ; 45.4 kg final RQ
7440-32-6	Titanium	<0.1	N/A	sn 1865	1000 lb final RQ; 454 kg final RQ

* CPCL - California - Proposition 65 - Carcinogens List

* NJRTK - New Jersey - Department of Health RTK List

* CERCLA/SARA - Hazardous Substances and their Reportable Quantities

:

INTERNATIONAL INVENTORIES:

CAS	Chemical Name	% Weight	WHMIS*	EINECCS - European Union*
7732-18-5	Water	~98	N/A	231-791-2
7697-37-2	Nitric acid	~2	C; D1A; E	231-714-2
7664-39-3	Hydrogen fluoride	<0.1	D1A; E	231-634-8
7440-32-6	Titanium	<0.1	E; D2A	213-596-4

* WHMIS - Canada - WHMIS - Classifications of Substances

* EINECCS - European Union - European inventory of Existing Commercial Chemical Substances (EINECCS)

:

16. OTHER INFORMATION

The above information is believed to be accurate and represents the best information available to us. It has been compiled from the data presented in various technical publications and our experience and should only be used as a guide for handling this product. It is the user's responsibility to determine the suitability of this information for their particular purposes. We assume that only qualified individuals, trained and familiar with procedures suitable to this product will handle this material. Inorganic Ventures, Inc. assumes no responsibility and shall not be held liable for any damage resulting from misuse of this product.