

MATERIAL SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

<u>Cat. No.(s)</u>	<u>Chemical/Common Name</u>	<u>Formula</u>	<u>Hazardous</u>
087430	SAS™ One-Step Pregnancy (Urine)	Mixture	Yes
087730	SAS™ Serum/Urine hCG (30 tests, 25 mIU/hCG)	Mixture	Yes
087750	SAS™ Serum/Urine hCG (50 tests, 25 mIU/hCG)	Mixture	Yes
087731	SAS™ Ultra Serum/Urine hCG (30 tests, 10 mIU S 20 mIU/hCG U)	Mixture	Yes
087752	SAS™ Value hCG (50 tests, 25 mIU/hCG)	Mixture	Yes
087525	SAS™ Pregnancy Strip (25 strips, 25 mIU/hCG)	Mixture	Yes

The SAS™ hCG kits are manufactured by SA Scientific, Inc.

SA Scientific, Inc.
4919 Golden Quail
San Antonio, Texas 78240

MSDS Coordinator
Telephone Number: (800)-272-2710

Date Prepared: 02-04-00
Revised: 11-15-02

Emergency Phone: (800)-272-2710

SECTION 11: HAZARDOUS INFORMATION

Chemical Composition: Nitrocellulose membrane, fiberglass buffer, antibodies and colloidal gold solution.

Pursuant to OSHA's Hazardous Communications Standard 29 CFR 1910.1200, these products are not considered to contain hazardous materials.

SECTION 111: ADDITIONAL COMMENTS

Store at 15°- 30° C

Employers should use this information as a supplement to other information gathered by them and should make independent judgment of the suitability of this information to ensure proper use and to protect the health and safety of employees. This information is provided without warranty and any use of this product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process is the responsibility of the user. SA Scientific, Inc. shall not be held liable for any damage resulting from the handling or use of this product.

MANUAL – SAFETY DATE REVIEWED _____ INITIALS _____	LOCATION/DEPARTMENT _____ FORM NO . _____	ISSUE DATE _____ SUPERCEDES MSDS FORM NO. DATED
---	--	---