



Material Safety Data Sheet

CONTACT:

ACON Laboratories
4108 Sorrento Valley Blvd.
San Diego, CA, 92121 USA
Phone: 858-535-2030
Fax: 858-535-2035
Attn.: Customer Sales & Support

MANUFACTURER:

ACON Biotech Co. Ltd
398 Tianmushan Rd
Gudang Industrial Park
Hangzhou, PR China 310023
Phone: 86-571-8796-3569
Fax: 86-571-8796-3570

Trade Name: RapidTest
Product Name: Multi-CLIN DOA Test Device
Catalog #: DCB-1115-011

Chemical Name: Not Applicable
Chemical Family: *In-vitro* diagnostic test kits
Formula: Not Applicable
F.W.: Not Applicable
DOT Hazard Classification: Not Applicable
DOT Shipping Name: Not Applicable

Test Device: Sodium Azide:

Name:	Concentration: = <0.02% (13.5ng/test) Sodium Azide
CAS#:	26628-22-8:
Health Hazards:	Poison -- Do Not Inhale or Swallow
First Aid Measures:	Inhale: Remove to fresh air Contact: Flush with water for 15 minutes Swallow: If conscious, wash mouth out with water Call Physician
Fire Fighting Measures:	Non-flammable
Spill:	Not applicable.
Exposure Controls	Not applicable
Personal Protection:	Not applicable
Physical Properties:	Not applicable (contained within dry reagents in test device)
Stability/Reactivity:	Stable. Non-reactive in this test.
Toxicological Information:	Exposure above acceptable limits may be harmful
Regulatory Information:	OSHA PEL 0.3 mg/M ³ ACGIH TLV: TWA Ceiling limit 0.01ppm
Concentration in Device:	= <0.02% (13.5ng/test)
Stability/Reactivity:	Stable. Non-reactive within this kit.

The above information is believed to be correct but does not purport to be all-inclusive and shall only be used as a guide. ACON shall not be held liable for any damage resulting from handling or from contact with the above product. See invoice or packing slip for additional terms and conditions.