

### 1 Identification of substance:

- **Product name:** Reagent A - Extraction  
(Directigen Flu A Test Kit)
- **Catalog number:** 256020
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Tel: (410) 771-0100 or (800) 638-8663
- **Information department:** Technical Services
- **Emergency information:**  
In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems at (410)771-0100 or (800)638-8663, or ChemTrec at (800)424-9300.

### 2 Composition/Data on components:

- **Chemical characterization:**
- **CAS No. Description:**  
Not applicable
- **Chemical characterization**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

26628-22-8	sodium azide	0.2%
------------	--------------	------

### 3 Hazards identification

· **Hazard description:**



Xn Harmful

- **Information pertaining to particular dangers for man and environment**  
R 22 Harmful if swallowed.
- **Classification system**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0-4)**



Health = 2  
Fire = 0  
Reactivity = 0

### 4 First aid measures

- **General information**  
Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

(Contd. on page 2)

**Product name: Reagent A - Extraction**  
**(Directigen Flu A Test Kit)**

(Contd. of page 1)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Immediately call a doctor.

### 5 Fire fighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards caused by the material, its products of combustion or resulting gases:**  
During heating or in case of fire toxic gases may be produced.
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Wipe up with damp sponge or mop.
- **Measures for cleaning/collecting:** No special measures required.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- **Further information about storage conditions:** None.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

**26628-22-8 sodium azide**

REL	Short-term value: C 0.3** mg/m <sup>3</sup> , C 0.1* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>
TLV	Short-term value: C 0.29** mg/m <sup>3</sup> , C 0.11* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal Protective Equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.

(Contd. on page 3)

**Product name: Reagent A - Extraction**  
**(Directigen Flu A Test Kit)**

(Contd. of page 2)

- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

### 9 Physical and chemical properties:

· **General Information**

<b>Form:</b>	Liquid
<b>Color:</b>	Light yellow
<b>Odor:</b>	Characteristic

· **Change in condition**  
**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Not determined

· **Flash point:** Not applicable

· **Danger of explosion:** Forms very sensitive explosive metallic compounds.

· **Density:** Not determined

· **Solubility in / Miscibility with Water:** Soluble

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Materials to be avoided:**  
Incompatible materials: acidic material and metals  
Incompatible material: strong oxidizers.
- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:** No dangerous decomposition products known.
- **Additional information:**  
Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

USA

(Contd. on page 4)

**Product name: Reagent A - Extraction**  
**(Directigen Flu A Test Kit)**

(Contd. of page 3)

### 11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

26628-22-8 sodium azide

Oral	LD50	27 mg/kg (rat)
------	------	----------------

· **Primary irritant effect:**

· **on the skin:** No irritating effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

Harmful

The product shows the following dangers according to internally approved calculation methods for preparations:

### 12 Ecological information:

· **Ecotoxicological effects:**

· **Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

· **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

### 13 Disposal considerations

· **Product:**

· **Recommendation**

Smaller quantities can be disposed of with solid waste.

This product is not considered a RCRA hazardous waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to state and federal regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **DOT regulations:**

· **Hazard class:** -

· **Land transport ADR/RID (cross-border)**

· **ADR/RID class:** -

· **Maritime transport IMDG:**

· **IMDG Class:** -

· **Marine pollutant:** No

(Contd. on page 5)

**Product name: Reagent A - Extraction**  
**(Directigen Flu A Test Kit)**

(Contd. of page 4)

- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

### 15 Regulations

- **SARA Section 355 (extremely hazardous substances)**

26628-22-8 | sodium azide

- **SARA Section 313 (specific toxic chemical listings)**

26628-22-8 | sodium azide

- **TSCA (Toxic Substances Control Act)**

26628-22-8 | sodium azide

- **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8 | sodium azide

A4

- **Product related hazard information:**

The product has been classified and marked in accordance with regulations on hazardous materials.

- **Hazard symbols:**

Xn Harmful

- **Hazard-determining components of labeling:**

sodium azide

- **Risk phrases:**

22 Harmful if swallowed.

- **Safety phrases:**

2 Keep out of the reach of children.

13 Keep away from food, drink and animal feedingstuffs.

36 Wear suitable protective clothing.

(Contd. on page 6)



**Material Safety Data Sheet**  
*acc. to ISO/DIS 11014*

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent A - Extraction**  
**(Directigen Flu A Test Kit)**

(Contd. of page 5)

46 If swallowed, seek medical advice immediately and show this container or label.

**16 Other information:**

*To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

- **Department issuing MSDS:** Safety and Environment Department
- **Contact:** Technical Service Representative

USA

**1 Identification of substance:**


- **Product name:** Reagent 1 - Wash  
(Directigen Flu A Test Kit)
- **Catalog number:** 256020
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Tel: (410) 771-0100 or (800) 638-8663
- **Information department:** Technical Services
- **Emergency information:**  
In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems at (410)771-0100 or (800)638-8663, or ChemTrec at (800)424-9300.

**2 Composition/Data on components:**

- **Chemical characterization:**
- **CAS No. Description:**  
Not applicable

**3 Hazards identification**

- **Hazard description:**  
This product contains no hazardous constituents, or the concentration of all chemical constituents are below the regulatory threshold limits described by Occupational Safety Health Administration Hazard Communication Standard 29 CFR 1910.1200 and the European Directive 91/155/EEC, and 93/112/EC.
- **NFPA ratings (scale 0-4)**



Health = 0  
Fire = 0  
Reactivity = 0

**4 First aid measures**

- **General information** No special measures required.
- **After inhalation** Seek medical treatment in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing** If symptoms persist consult doctor.
- **Information for doctor** Show this product label or this MSDS.

**5 Fire fighting measures**

- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 2)

USA

**Product name: Reagent 1 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 1)

· **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Wipe up with damp sponge or mop.
- **Measures for cleaning/collecting:** No special measures required.
- **Additional information:** No dangerous substances are released.

## 7 Handling and storage

- **Handling**
- **Information for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:** None.

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal Protective Equipment**
- **General protective and hygienic measures**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

## 9 Physical and chemical properties:

### · General Information

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Characteristic

(Contd. on page 3)



**Product name: Reagent 1 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 2)

- |  |
|--|
| · <b>Change in condition</b><br><b>Melting point/Melting range:</b> Not determined<br><b>Boiling point/Boiling range:</b> Not determined |
| · <b>Flash point:</b> Not applicable   |
| · <b>Danger of explosion:</b> Product does not present an explosion hazard.  |
| · <b>Density:</b> Not determined   |
| · <b>Solubility in / Miscibility with Water:</b> Soluble   |

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:** No dangerous decomposition products known.

### 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
  - **on the skin:** No irritating effect.
  - **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.  
The substance is not subject to classification.

### 12 Ecological information:

- **Ecotoxicological effects:**
- **Other information:**  
The ecological effects have not been thoroughly investigated, but currently none have been identified.
- **General notes:** Generally not hazardous for water.

### 13 Disposal considerations

- **Product:**
- **Recommendation**  
Smaller quantities can be disposed of with solid waste.  
Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.  
This product is not considered a RCRA hazardous waste.

(Contd. on page 4)



Printing date 01/11/2006

Reviewed on 08/07/2003

Product name: Reagent 1 - Wash  
(Directigen Flu A Test Kit)

(Contd. of page 3)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to state and federal regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Land transport ADR/RID (cross-border)**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

· **Transport/Additional information:**  
If a dashed line appears in the Hazard Class section for the type of transportation, this indicates the product is not regulated for transportation. However, if a Hazard Class Number is listed the product is regulated.

### 15 Regulations

- **SARA Section 355 (extremely hazardous substances)**  
Substance is not listed.
- **SARA Section 313 (specific toxic chemical listings)**  
Substance is not listed.
- **TSCA (Toxic Substances Control Act)**  
Substance is not listed.
- **California Proposition 65 - Chemicals known to cause cancer**  
Substance is not listed.
- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**  
Substance is not listed.
- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**  
Substance is not listed.
- **California Proposition 65 - Chemicals known to cause developmental toxicity:**  
Substance is not listed.
- **Carcinogenicity categories**
- **IARC (International Agency for Research on Cancer)**  
Substance is not listed.

(Contd. on page 5)



**Material Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent 1 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 4)

· **NTP (National Toxicology Program)**

Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

· **Product related hazard information:**

Observe the general safety regulations when handling chemicals

The substance is not subject to classification according to the sources of literature known to us.

The product is not subject to identification regulations pertaining to regulations on hazardous materials.

· **National regulations**

· **Water hazard class:** Generally not hazardous for water.

**16 Other information:**

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

· **Department issuing MSDS:** Safety and Environment Department

· **Contact:** Technical Service Representative

USA

**1 Identification of substance:**

- **Product name:** Reagent 2 - Wash  
(Directigen Flu A Test Kit)
- **Catalog number:** 256020
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Tel: (410) 771-0100 or (800) 638-8663
- **Information department:** Technical Services
- **Emergency information:**  
In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems at (410)771-0100 or (800)638-8663, or ChemTrec at (800)424-9300.

**2 Composition/Data on components:**

- **Chemical characterization:**
- **CAS No. Description:**  
Not applicable
- **Chemical characterization**
- **Description:** Mixture consisting of the following components.

**· Dangerous components:**

26628-22-8	sodium azide	0.2%
------------	--------------	------

**3 Hazards identification****· Hazard description:**

Xn Harmful

- **Information pertaining to particular dangers for man and environment**  
R 22 Harmful if swallowed.
- **Classification system**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0-4)**

Health = 2  
Fire = 0  
Reactivity = 0**4 First aid measures**

- **General information**  
Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

(Contd. on page 2)

USA

**Product name: Reagent 2 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 1)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** Immediately call a doctor.
- **Information for doctor** Show this product label or this MSDS.

### 5 Fire fighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Wipe up with damp sponge or mop.
- **Measures for cleaning/collecting:** No special measures required.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- **Further information about storage conditions:** None.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

#### 26628-22-8 sodium azide

REL	Short-term value: C 0.3** mg/m <sup>3</sup> , C 0.1* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>
TLV	Short-term value: C 0.29** mg/m <sup>3</sup> , C 0.11* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal Protective Equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.

(Contd. on page 3)

**Product name: Reagent 2 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 2)

- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

### 9 Physical and chemical properties:

#### · General Information

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Characteristic

#### · Change in condition

**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Not determined

· **Flash point:** Not applicable

· **Danger of explosion:** Forms very sensitive explosive metallic compounds.

· **Density:** Not determined

#### · Solubility in / Miscibility with

**Water:** Soluble

### 10 Stability and reactivity

#### · **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

#### · **Materials to be avoided:**

Incompatible materials: acidic material and metals

Incompatible material: strong oxidizers.

· **Dangerous reactions** No dangerous reactions known

· **Dangerous products of decomposition:** No dangerous decomposition products known.

#### · **Additional information:**

Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

USA

(Contd. on page 4)

**Product name: Reagent 2 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 3)

### 11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

26628-22-8 sodium azide

Oral	LD50	27 mg/kg (rat)
------	------	----------------

· **Primary irritant effect:**

· **on the skin:** No irritating effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

Harmful

The product shows the following dangers according to internally approved calculation methods for preparations:

### 12 Ecological information:

· **Ecotoxicological effects:**

· **Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

· **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

### 13 Disposal considerations

· **Product:**

· **Recommendation**

Smaller quantities can be disposed of with solid waste.

This product is not considered a RCRA hazardous waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to state and federal regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **DOT regulations:**

· **Hazard class:** -

· **Land transport ADR/RID (cross-border)**

· **ADR/RID class:** -

· **Maritime transport IMDG:**

· **IMDG Class:** -

· **Marine pollutant:** No

(Contd. on page 5)

**Product name: Reagent 2 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 4)

- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

### 15 Regulations

- **SARA Section 355 (extremely hazardous substances)**

26628-22-8 | sodium azide

- **SARA Section 313 (specific toxic chemical listings)**

26628-22-8 | sodium azide

- **TSCA (Toxic Substances Control Act)**

26628-22-8 | sodium azide

- **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8 | sodium azide

A4

- **Product related hazard information:**

The product has been classified and marked in accordance with regulations on hazardous materials.

- **Hazard symbols:**

Xn Harmful

- **Hazard-determining components of labeling:**

sodium azide

- **Risk phrases:**

22 Harmful if swallowed.

- **Safety phrases:**

2 Keep out of the reach of children.

13 Keep away from food, drink and animal feedingstuffs.

36 Wear suitable protective clothing.

(Contd. on page 6)





**Material Safety Data Sheet**  
*acc. to ISO/DIS 11014*

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent 2 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 5)

46 If swallowed, seek medical advice immediately and show this container or label.

**16 Other information:**

*To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

- **Department issuing MSDS:** Safety and Environment Department
- **Contact:** Technical Service Representative

USA

### 1 Identification of substance:

- **Product name:** Reagent 3 - Detector  
(Directigen Flu A Test Kit)
- **Catalog number:** 256020
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Tel: (410) 771-0100 or (800) 638-8663
- **Information department:** Technical Services
- **Emergency information:**  
In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems at (410)771-0100 or (800)638-8663, or ChemTrec at (800)424-9300.

### 2 Composition/Data on components:

- **Chemical characterization:**
- **CAS No. Description:**  
Not applicable
- **Chemical characterization**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

26628-22-8	sodium azide	0.2%
------------	--------------	------

### 3 Hazards identification

· **Hazard description:**



Xn Harmful

- **Information pertaining to particular dangers for man and environment**  
R 22 Harmful if swallowed.
- **Classification system**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0-4)**



Health = 2  
Fire = 0  
Reactivity = 0

### 4 First aid measures

- **General information**  
Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

(Contd. on page 2)

**Product name: Reagent 3 - Detector**  
**(Directigen Flu A Test Kit)**

(Contd. of page 1)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** Immediately call a doctor.
- **Information for doctor** Show this product label or this MSDS.

### 5 Fire fighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Wipe up with damp sponge or mop.
- **Measures for cleaning/collecting:** No special measures required.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- **Further information about storage conditions:** None.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

· **Components with limit values that require monitoring at the workplace:**

**26628-22-8 sodium azide**

REL	Short-term value: C 0.3** mg/m <sup>3</sup> , C 0.1* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>
TLV	Short-term value: C 0.29** mg/m <sup>3</sup> , C 0.11* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal Protective Equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.

(Contd. on page 3)

**Product name: Reagent 3 - Detector**  
**(Directigen Flu A Test Kit)**

(Contd. of page 2)

- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

### 9 Physical and chemical properties:

· **General Information**

**Form:** Liquid  
**Color:** Colorless  
**Odor:** Characteristic

- **Change in condition**  
**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Not determined

- **Flash point:** Not applicable
- **Danger of explosion:** Forms very sensitive explosive metallic compounds.
- **Density:** Not determined

- **Solubility in / Miscibility with Water:** Soluble

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Materials to be avoided:**  
Incompatible materials: acidic material and metals  
Incompatible material: strong oxidizers.
- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:** No dangerous decomposition products known.
- **Additional information:**  
Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

USA

(Contd. on page 4)

**Product name: Reagent 3 - Detector**  
**(Directigen Flu A Test Kit)**

(Contd. of page 3)

### 11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**26628-22-8 sodium azide**

Oral	LD50	27 mg/kg (rat)
------	------	----------------

· **Primary irritant effect:**

· **on the skin:** No irritating effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

Harmful

The product shows the following dangers according to internally approved calculation methods for preparations:

### 12 Ecological information:

· **Ecotoxicological effects:**

· **Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

· **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

### 13 Disposal considerations

· **Product:**

· **Recommendation**

Smaller quantities can be disposed of with solid waste.

This product is not considered a RCRA hazardous waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to state and federal regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **DOT regulations:**

· **Hazard class:** -

· **Land transport ADR/RID (cross-border)**

· **ADR/RID class:** -

· **Maritime transport IMDG:**

· **IMDG Class:** -

· **Marine pollutant:** No

(Contd. on page 5)

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent 3 - Detector**  
**(Directigen Flu A Test Kit)**

(Contd. of page 4)

- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

### 15 Regulations

- **SARA Section 355 (extremely hazardous substances)**

26628-22-8 | sodium azide

- **SARA Section 313 (specific toxic chemical listings)**

26628-22-8 | sodium azide

- **TSCA (Toxic Substances Control Act)**

26628-22-8 | sodium azide

- **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8 | sodium azide

A4

- **Product related hazard information:**

The product has been classified and marked in accordance with regulations on hazardous materials.

- **Hazard symbols:**

Xn Harmful

- **Hazard-determining components of labeling:**

sodium azide

- **Risk phrases:**

22 Harmful if swallowed.

- **Safety phrases:**

2 Keep out of the reach of children.

13 Keep away from food, drink and animal feedingstuffs.

36 Wear suitable protective clothing.

(Contd. on page 6)



**Material Safety Data Sheet**  
*acc. to ISO/DIS 11014*

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent 3 - Detector**  
**(Directigen Flu A Test Kit)**

(Contd. of page 5)

46 If swallowed, seek medical advice immediately and show this container or label.

**16 Other information:**

*To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

- **Department issuing MSDS:** Safety and Environment Department
- **Contact:** Technical Service Representative

USA

### 1 Identification of substance:

- **Product name:** Reagent 4 - Wash  
(Directigen Flu A Test Kit)
- **Catalog number:** 256020
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Tel: (410) 771-0100 or (800) 638-8663
- **Information department:** Technical Services
- **Emergency information:**  
In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems at (410)771-0100 or (800)638-8663, or ChemTrec at (800)424-9300.

### 2 Composition/Data on components:

- **Chemical characterization:**
- **CAS No. Description:**  
Not applicable
- **Chemical characterization**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

26628-22-8	sodium azide	0.2%
------------	--------------	------

### 3 Hazards identification

· **Hazard description:**



Xn Harmful

- **Information pertaining to particular dangers for man and environment**  
R 22 Harmful if swallowed.
- **Classification system**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0-4)**



Health = 2  
Fire = 0  
Reactivity = 0

### 4 First aid measures

- **General information**  
Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

(Contd. on page 2)



**Product name: Reagent 4 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 1)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** Immediately call a doctor.
- **Information for doctor** Show this product label or this MSDS.

### 5 Fire fighting measures

- **Suitable extinguishing agents**  
 CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Wipe up with damp sponge or mop.
- **Measures for cleaning/collecting:** No special measures required.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
 Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- **Further information about storage conditions:** None.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

26628-22-8 sodium azide

REL	Short-term value: C 0.3** mg/m <sup>3</sup> , C 0.1* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>
TLV	Short-term value: C 0.29** mg/m <sup>3</sup> , C 0.11* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal Protective Equipment**
- **General protective and hygienic measures**  
 Keep away from foodstuffs, beverages and feed.  
 Wash hands before breaks and at the end of work.

(Contd. on page 3)

**Product name: Reagent 4 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 2)

- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

### 9 Physical and chemical properties:

· **General Information**

**Form:** Liquid  
**Color:** Colorless  
**Odor:** Characteristic

- **Change in condition**  
**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Not determined

- **Flash point:** Not applicable
- **Danger of explosion:** Forms very sensitive explosive metallic compounds.
- **Density:** Not determined

- **Solubility in / Miscibility with Water:** Soluble

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Materials to be avoided:**  
Incompatible materials: acidic material and metals  
Incompatible material: strong oxidizers.
- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:** No dangerous decomposition products known.
- **Additional information:**  
Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

USA

(Contd. on page 4)

**Product name: Reagent 4 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 3)

### 11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

26628-22-8 sodium azide

Oral	LD50	27 mg/kg (rat)
------	------	----------------

· **Primary irritant effect:**

· **on the skin:** No irritating effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

### 12 Ecological information:

· **Ecotoxicological effects:**

· **Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

· **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

### 13 Disposal considerations

· **Product:**

· **Recommendation**

Smaller quantities can be disposed of with solid waste.

This product is not considered a RCRA hazardous waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to state and federal regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **DOT regulations:**

· **Hazard class:** -

· **Land transport ADR/RID (cross-border)**

· **ADR/RID class:** -

· **Maritime transport IMDG:**

· **IMDG Class:** -

· **Marine pollutant:** No

· **Air transport ICAO-TI and IATA-DGR:**

· **ICAO/IATA Class:** -

**Product name: Reagent 4 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 4)

**15 Regulations**

· **SARA Section 355 (extremely hazardous substances)**

26628-22-8	sodium azide
------------	--------------

· **SARA Section 313 (specific toxic chemical listings)**

26628-22-8	sodium azide
------------	--------------

· **TSCA (Toxic Substances Control Act)**

26628-22-8	sodium azide
------------	--------------

· **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8	sodium azide	A4
------------	--------------	----

· **Product related hazard information:**

The product has been classified and marked in accordance with regulations on hazardous materials.

· **Hazard symbols:**

Xn Harmful

· **Hazard-determining components of labeling:**

sodium azide

· **Risk phrases:**

22 Harmful if swallowed.

· **Safety phrases:**

2 Keep out of the reach of children.

13 Keep away from food, drink and animal feedingstuffs.

36 Wear suitable protective clothing.

46 If swallowed, seek medical advice immediately and show this container or label.



**Material Safety Data Sheet**  
*acc. to ISO/DIS 11014*

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent 4 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 5)

**16 Other information:**

*To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

- **Department issuing MSDS:** Safety and Environment Department
- **Contact:** Technical Service Representative

USA

### 1 Identification of substance:

- **Product name:** Reagent 5 - Wash  
(Directigen Flu A Test Kit)
- **Catalog number:** 256020
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Tel: (410) 771-0100 or (800) 638-8663
- **Information department:** Technical Services
- **Emergency information:**  
In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems at (410)771-0100 or (800)638-8663, or ChemTrec at (800)424-9300.

### 2 Composition/Data on components:

- **Chemical characterization:**
- **CAS No. Description:**  
Not applicable
- **Chemical characterization**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

26628-22-8	sodium azide	0.2%
------------	--------------	------

### 3 Hazards identification

· **Hazard description:**



Xn Harmful

- **Information pertaining to particular dangers for man and environment**  
R 22 Harmful if swallowed.
- **Classification system**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0-4)**



Health = 2  
Fire = 0  
Reactivity = 0

### 4 First aid measures

- **General information**  
Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

(Contd. on page 2)

**Product name: Reagent 5 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 1)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** Immediately call a doctor.
- **Information for doctor** Show this product label or this MSDS.

### 5 Fire fighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Wipe up with damp sponge or mop.
- **Measures for cleaning/collecting:** No special measures required.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- **Further information about storage conditions:** None.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

· **Components with limit values that require monitoring at the workplace:**

**26628-22-8 sodium azide**

REL	Short-term value: C 0.3** mg/m <sup>3</sup> , C 0.1* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>
TLV	Short-term value: C 0.29** mg/m <sup>3</sup> , C 0.11* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal Protective Equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.

(Contd. on page 3)

**Product name: Reagent 5 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 2)

- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

### 9 Physical and chemical properties:

· **General Information**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Characteristic

· **Change in condition**  
**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Not determined

· **Flash point:** Not applicable

· **Danger of explosion:** Forms very sensitive explosive metallic compounds.

· **Density:** Not determined

· **Solubility in / Miscibility with Water:** Soluble

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Materials to be avoided:**  
Incompatible materials: acidic material and metals  
Incompatible material: strong oxidizers.
- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:** No dangerous decomposition products known.
- **Additional information:**  
Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

USA

(Contd. on page 4)



**Product name: Reagent 5 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 3)

### 11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

26628-22-8 sodium azide

Oral	LD50	27 mg/kg (rat)
------	------	----------------

· **Primary irritant effect:**

· **on the skin:** No irritating effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

Harmful

The product shows the following dangers according to internally approved calculation methods for preparations:

### 12 Ecological information:

· **Ecotoxicological effects:**

· **Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

· **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

### 13 Disposal considerations

· **Product:**

· **Recommendation**

Smaller quantities can be disposed of with solid waste.

This product is not considered a RCRA hazardous waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to state and federal regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **DOT regulations:**

· **Hazard class:** -

· **Land transport ADR/RID (cross-border)**

· **ADR/RID class:** -

· **Maritime transport IMDG:**

· **IMDG Class:** -

· **Marine pollutant:** No

(Contd. on page 5)

**Product name: Reagent 5 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 4)

- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

### 15 Regulations

- **SARA Section 355 (extremely hazardous substances)**

26628-22-8	sodium azide
------------	--------------

- **SARA Section 313 (specific toxic chemical listings)**

26628-22-8	sodium azide
------------	--------------

- **TSCA (Toxic Substances Control Act)**

26628-22-8	sodium azide
------------	--------------

- **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8	sodium azide	A4
------------	--------------	----

- **Product related hazard information:**

The product has been classified and marked in accordance with regulations on hazardous materials.

- **Hazard symbols:**

Xn Harmful

- **Hazard-determining components of labeling:**

sodium azide

- **Risk phrases:**

22 Harmful if swallowed.

- **Safety phrases:**

2 Keep out of the reach of children.

13 Keep away from food, drink and animal feedingstuffs.

36 Wear suitable protective clothing.

(Contd. on page 6)



**Material Safety Data Sheet**  
*acc. to ISO/DIS 11014*

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent 5 - Wash**  
**(Directigen Flu A Test Kit)**

(Contd. of page 5)

46 If swallowed, seek medical advice immediately and show this container or label.

**16 Other information:**

*To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

- **Department issuing MSDS:** Safety and Environment Department
- **Contact:** Technical Service Representative

USA

**1 Identification of substance:**

- **Product name:** Reagent 6 - Substrate A  
(Directigen Flu A Test Kit)
- **Catalog number:** 256020
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Tel: (410) 771-0100 or (800) 638-8663
- **Information department:** Technical Services
- **Emergency information:**  
In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems at (410)771-0100 or (800)638-8663, or ChemTrec at (800)424-9300.

**2 Composition/Data on components:**

- **Chemical characterization:**
- **CAS No. Description:**  
Not applicable
- **Chemical characterization**
- **Description:** Mixture consisting of the following components.

**· Dangerous components:**

26628-22-8	sodium azide	0.2%
------------	--------------	------

**3 Hazards identification****· Hazard description:**

Xn Harmful

- **Information pertaining to particular dangers for man and environment**  
R 22 Harmful if swallowed.
- **Classification system**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0-4)**

Health = 2  
Fire = 0  
Reactivity = 0**4 First aid measures**

- **General information**  
Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

(Contd. on page 2)

USA

**Product name: Reagent 6 - Substrate A**  
**(Directigen Flu A Test Kit)**

(Contd. of page 1)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** Immediately call a doctor.
- **Information for doctor** Show this product label or this MSDS.

### 5 Fire fighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Wipe up with damp sponge or mop.
- **Measures for cleaning/collecting:** No special measures required.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- **Further information about storage conditions:** None.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

· **Components with limit values that require monitoring at the workplace:**

26628-22-8 sodium azide

REL	Short-term value: C 0.3** mg/m <sup>3</sup> , C 0.1* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>
TLV	Short-term value: C 0.29** mg/m <sup>3</sup> , C 0.11* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal Protective Equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.

(Contd. on page 3)

**Product name: Reagent 6 - Substrate A**  
**(Directigen Flu A Test Kit)**

(Contd. of page 2)

- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

### 9 Physical and chemical properties:

#### · General Information

**Form:** Liquid  
**Color:** Light yellow  
**Odor:** Characteristic

#### · Change in condition

**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Not determined

· **Flash point:** Not applicable

· **Danger of explosion:** Forms very sensitive explosive metallic compounds.

· **Density:** Not determined

#### · Solubility in / Miscibility with

**Water:** Soluble

### 10 Stability and reactivity

#### · **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

#### · **Materials to be avoided:**

Incompatible materials: acidic material and metals

Incompatible material: strong oxidizers.

· **Dangerous reactions** No dangerous reactions known

· **Dangerous products of decomposition:** No dangerous decomposition products known.

#### · **Additional information:**

Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

USA

(Contd. on page 4)

**Product name: Reagent 6 - Substrate A**  
**(Directigen Flu A Test Kit)**

(Contd. of page 3)

### 11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**26628-22-8 sodium azide**

Oral	LD50	27 mg/kg (rat)
------	------	----------------

· **Primary irritant effect:**

· **on the skin:** No irritating effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

Harmful

The product shows the following dangers according to internally approved calculation methods for preparations:

### 12 Ecological information:

· **Ecotoxicological effects:**

· **Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

· **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

### 13 Disposal considerations

· **Product:**

· **Recommendation**

Smaller quantities can be disposed of with solid waste.

This product is not considered a RCRA hazardous waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to state and federal regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **DOT regulations:**

· **Hazard class:** -

· **Land transport ADR/RID (cross-border)**

· **ADR/RID class:** -

· **Maritime transport IMDG:**

· **IMDG Class:** -

· **Marine pollutant:** No

(Contd. on page 5)

**Product name: Reagent 6 - Substrate A**  
**(Directigen Flu A Test Kit)**

(Contd. of page 4)

- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

### 15 Regulations

- **SARA Section 355 (extremely hazardous substances)**

26628-22-8	sodium azide
------------	--------------

- **SARA Section 313 (specific toxic chemical listings)**

26628-22-8	sodium azide
------------	--------------

- **TSCA (Toxic Substances Control Act)**

26628-22-8	sodium azide
------------	--------------

- **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8	sodium azide	A4
------------	--------------	----

- **Product related hazard information:**

The product has been classified and marked in accordance with regulations on hazardous materials.

- **Hazard symbols:**

Xn Harmful

- **Hazard-determining components of labeling:**

sodium azide

- **Risk phrases:**

22 Harmful if swallowed.

- **Safety phrases:**

2 Keep out of the reach of children.

13 Keep away from food, drink and animal feedingstuffs.

36 Wear suitable protective clothing.

(Contd. on page 6)





**Material Safety Data Sheet**  
*acc. to ISO/DIS 11014*

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent 6 - Substrate A**  
**(Directigen Flu A Test Kit)**

(Contd. of page 5)

46 If swallowed, seek medical advice immediately and show this container or label.

**16 Other information:**

*To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

- **Department issuing MSDS:** Safety and Environment Department
- **Contact:** Technical Service Representative

USA

### 1 Identification of substance:

- **Product name:** Reagent 7 - Substrate B  
(Directigen Flu A Test Kit)
- **Catalog number:** 256020
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Tel: (410) 771-0100 or (800) 638-8663
- **Information department:** Technical Services
- **Emergency information:**  
In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems at (410)771-0100 or (800)638-8663, or ChemTrec at (800)424-9300.

### 2 Composition/Data on components:

- **Chemical characterization:**
- **CAS No. Description:**  
Not applicable
- **Chemical characterization**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

26628-22-8	sodium azide	0.2%
------------	--------------	------

### 3 Hazards identification

· **Hazard description:**



Xn Harmful

- **Information pertaining to particular dangers for man and environment**  
R 22 Harmful if swallowed.
- **Classification system**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0-4)**



Health = 2  
Fire = 0  
Reactivity = 0

### 4 First aid measures

- **General information**  
Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

(Contd. on page 2)

**Product name: Reagent 7 - Substrate B**  
**(Directigen Flu A Test Kit)**

(Contd. of page 1)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** Immediately call a doctor.
- **Information for doctor** Show this product label or this MSDS.

### 5 Fire fighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Wipe up with damp sponge or mop.
- **Measures for cleaning/collecting:** No special measures required.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- **Further information about storage conditions:** None.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

· **Components with limit values that require monitoring at the workplace:**

**26628-22-8 sodium azide**

REL	Short-term value: C 0.3** mg/m <sup>3</sup> , C 0.1* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>
TLV	Short-term value: C 0.29** mg/m <sup>3</sup> , C 0.11* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal Protective Equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.

(Contd. on page 3)

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent 7 - Substrate B**  
(Directigen Flu A Test Kit)

(Contd. of page 2)

- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

### 9 Physical and chemical properties:

· **General Information**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Characteristic

- **Change in condition**  
**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Not determined

- **Flash point:** Not applicable
- **Danger of explosion:** Forms very sensitive explosive metallic compounds.
- **Density:** Not determined

- **Solubility in / Miscibility with Water:** Soluble

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Materials to be avoided:**  
Incompatible materials: acidic material and metals  
Incompatible material: strong oxidizers.
- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:** No dangerous decomposition products known.
- **Additional information:**  
Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

USA

(Contd. on page 4)

**Product name: Reagent 7 - Substrate B**  
**(Directigen Flu A Test Kit)**

(Contd. of page 3)

### 11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**26628-22-8 sodium azide**

Oral	LD50	27 mg/kg (rat)
------	------	----------------

· **Primary irritant effect:**

· **on the skin:** No irritating effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

Harmful

The product shows the following dangers according to internally approved calculation methods for preparations:

### 12 Ecological information:

· **Ecotoxicological effects:**

· **Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

· **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

### 13 Disposal considerations

· **Product:**

· **Recommendation**

Smaller quantities can be disposed of with solid waste.

This product is not considered a RCRA hazardous waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to state and federal regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **DOT regulations:**

· **Hazard class:** -

· **Land transport ADR/RID (cross-border)**

· **ADR/RID class:** -

· **Maritime transport IMDG:**

· **IMDG Class:** -

· **Marine pollutant:** No

(Contd. on page 5)

**Product name: Reagent 7 - Substrate B**  
**(Directigen Flu A Test Kit)**

(Contd. of page 4)

- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

### 15 Regulations

- **SARA Section 355 (extremely hazardous substances)**

26628-22-8 | sodium azide

- **SARA Section 313 (specific toxic chemical listings)**

26628-22-8 | sodium azide

- **TSCA (Toxic Substances Control Act)**

26628-22-8 | sodium azide

- **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8 | sodium azide

A4

- **Product related hazard information:**

The product has been classified and marked in accordance with regulations on hazardous materials.

- **Hazard symbols:**

Xn Harmful

- **Hazard-determining components of labeling:**

sodium azide

- **Risk phrases:**

22 Harmful if swallowed.

- **Safety phrases:**

2 Keep out of the reach of children.

13 Keep away from food, drink and animal feedingstuffs.

36 Wear suitable protective clothing.

(Contd. on page 6)



**Material Safety Data Sheet**  
*acc. to ISO/DIS 11014*

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent 7 - Substrate B**  
**(Directigen Flu A Test Kit)**

(Contd. of page 5)

46 If swallowed, seek medical advice immediately and show this container or label.

**16 Other information:**

*To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

- **Department issuing MSDS:** Safety and Environment Department
- **Contact:** Technical Service Representative

USA

**1 Identification of substance:**


- **Product name:** Reagent 8 - Stop  
(Directigen Flu A Test Kit)
- **Catalog number:** 256020
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Tel: (410) 771-0100 or (800) 638-8663
- **Information department:** Technical Services
- **Emergency information:**  
In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems at (410)771-0100 or (800)638-8663, or ChemTrec at (800)424-9300.

**2 Composition/Data on components:**

- **Chemical characterization:**
- **CAS No. Description:**  
Not applicable

**3 Hazards identification**

- **Hazard description:**  
This product contains no hazardous constituents, or the concentration of all chemical constituents are below the regulatory threshold limits described by Occupational Safety Health Administration Hazard Communication Standard 29 CFR 1910.1200 and the European Directive 91/155/EEC, and 93/112/EC.
- **NFPA ratings (scale 0-4)**



Health = 0  
Fire = 0  
Reactivity = 0

**4 First aid measures**

- **General information** No special measures required.
- **After inhalation** Seek medical treatment in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing** If symptoms persist consult doctor.
- **Information for doctor** Show this product label or this MSDS.

**5 Fire fighting measures**

- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 2)

USA



**Product name: Reagent 8 - Stop**  
**(Directigen Flu A Test Kit)**

(Contd. of page 1)

· **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Wipe up with damp sponge or mop.
- **Measures for cleaning/collecting:** No special measures required.
- **Additional information:** No dangerous substances are released.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:** None.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal Protective Equipment**
- **General protective and hygienic measures**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

### 9 Physical and chemical properties:

#### · General Information

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Characteristic

(Contd. on page 3)

**Product name: Reagent 8 - Stop**  
**(Directigen Flu A Test Kit)**

(Contd. of page 2)

- |  |
|--|
| · <b>Change in condition</b><br><i>Melting point/Melting range: Not determined</i><br><i>Boiling point/Boiling range: Not determined</i> |
| · <b>Flash point:</b> <i>Not applicable</i>  |
| · <b>Danger of explosion:</b> <i>Product does not present an explosion hazard.</i>   |
| · <b>Density:</b> <i>Not determined</i>  |
| · <b>Solubility in / Miscibility with Water:</b> <i>Soluble</i>  |

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
*No decomposition if used according to specifications.*
- **Dangerous reactions** *No dangerous reactions known*
- **Dangerous products of decomposition:** *No dangerous decomposition products known.*

### 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
  - **on the skin:** *No irritating effect.*
  - **on the eye:** *No irritating effect.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**  
*When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.*  
*The substance is not subject to classification.*

### 12 Ecological information:

- **Ecotoxicological effects:**
- **Other information:**  
*The ecological effects have not been thoroughly investigated, but currently none have been identified.*
- **General notes:** *Generally not hazardous for water.*

### 13 Disposal considerations

- **Product:**
- **Recommendation**  
*Smaller quantities can be disposed of with solid waste.*  
*Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.*  
*This product is not considered a RCRA hazardous waste.*

(Contd. on page 4)

USA

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent 8 - Stop**  
**(Directigen Flu A Test Kit)**

(Contd. of page 3)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to state and federal regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Land transport ADR/RID (cross-border)**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

· **Transport/Additional information:**  
If a dashed line appears in the Hazard Class section for the type of transportation, this indicates the product is not regulated for transportation. However, if a Hazard Class Number is listed the product is regulated.

### 15 Regulations

- **SARA Section 355 (extremely hazardous substances)**  
Substance is not listed.
- **SARA Section 313 (specific toxic chemical listings)**  
Substance is not listed.
- **TSCA (Toxic Substances Control Act)**  
Substance is not listed.
- **California Proposition 65 - Chemicals known to cause cancer**  
Substance is not listed.
- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**  
Substance is not listed.
- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**  
Substance is not listed.
- **California Proposition 65 - Chemicals known to cause developmental toxicity:**  
Substance is not listed.
- **Carcinogenicity categories**
- **IARC (International Agency for Research on Cancer)**  
Substance is not listed.

(Contd. on page 5)



**Material Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Reagent 8 - Stop**  
**(Directigen Flu A Test Kit)**

(Contd. of page 4)

**· NTP (National Toxicology Program)**

*Substance is not listed.*

**· TLV (Threshold Limit Value established by ACGIH)**

*Substance is not listed.*

**· Product related hazard information:**

*Observe the general safety regulations when handling chemicals*

*The substance is not subject to classification according to the sources of literature known to us.*

*The product is not subject to identification regulations pertaining to regulations on hazardous materials.*

**· National regulations**

**· Water hazard class:** *Generally not hazardous for water.*

**16 Other information:**

*To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

**· Department issuing MSDS:** *Safety and Environment Department*

**· Contact:** *Technical Service Representative*

### 1 Identification of substance:

- **Product name:** *Positive Control (+)*  
*(Directigen Flu A Test Kit)*
- **Catalog number:** 256020
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Tel: (410) 771-0100 or (800) 638-8663
- **Information department:** Technical Services
- **Emergency information:**  
In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems at (410)771-0100 or (800)638-8663, or ChemTrec at (800)424-9300.

### 2 Composition/Data on components:

- **Chemical characterization:**
- **CAS No. Description:**  
Not applicable
- **Chemical characterization**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

26628-22-8	sodium azide	0.2%
------------	--------------	------

### 3 Hazards identification

· **Hazard description:**



Xn Harmful

- **Information pertaining to particular dangers for man and environment**  
R 22 Harmful if swallowed.
- **Classification system**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0-4)**



Health = 2  
Fire = 0  
Reactivity = 0

### 4 First aid measures

- **General information**  
Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

(Contd. on page 2)

**Product name: Positive Control (+)**  
**(Directigen Flu A Test Kit)**

(Contd. of page 1)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** Immediately call a doctor.
- **Information for doctor** Show this product label or this MSDS.

### 5 Fire fighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Wipe up with damp sponge or mop.
- **Measures for cleaning/collecting:** No special measures required.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- **Further information about storage conditions:** None.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

· **Components with limit values that require monitoring at the workplace:**

**26628-22-8 sodium azide**

REL	Short-term value: C 0.3** mg/m <sup>3</sup> , C 0.1* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>
TLV	Short-term value: C 0.29** mg/m <sup>3</sup> , C 0.11* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal Protective Equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.

(Contd. on page 3)

**Product name: Positive Control (+)**  
**(Directigen Flu A Test Kit)**

(Contd. of page 2)

- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

### 9 Physical and chemical properties:

· **General Information**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Characteristic

· **Change in condition**  
**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Not determined

· **Flash point:** Not applicable

· **Danger of explosion:** Forms very sensitive explosive metallic compounds.

· **Density:** Not determined

· **Solubility in / Miscibility with Water:** Soluble

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Materials to be avoided:**  
Incompatible materials: acidic material and metals  
Incompatible material: strong oxidizers.
- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:** No dangerous decomposition products known.
- **Additional information:**  
Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

USA

(Contd. on page 4)

**Product name: Positive Control (+)**  
**(Directigen Flu A Test Kit)**

(Contd. of page 3)

### 11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**26628-22-8 sodium azide**

Oral	LD50	27 mg/kg (rat)
------	------	----------------

· **Primary irritant effect:**

· **on the skin:** No irritating effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

Harmful

The product shows the following dangers according to internally approved calculation methods for preparations:

### 12 Ecological information:

· **Ecotoxicological effects:**

· **Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

· **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

### 13 Disposal considerations

· **Product:**

· **Recommendation**

Smaller quantities can be disposed of with solid waste.

This product is not considered a RCRA hazardous waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to state and federal regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **DOT regulations:**

· **Hazard class:** -

· **Land transport ADR/RID (cross-border)**

· **ADR/RID class:** -

· **Maritime transport IMDG:**

· **IMDG Class:** -

· **Marine pollutant:** No

(Contd. on page 5)



**Product name: Positive Control (+)**  
**(Directigen Flu A Test Kit)**

(Contd. of page 4)

- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

### 15 Regulations

- **SARA Section 355 (extremely hazardous substances)**

26628-22-8 | sodium azide

- **SARA Section 313 (specific toxic chemical listings)**

26628-22-8 | sodium azide

- **TSCA (Toxic Substances Control Act)**

26628-22-8 | sodium azide

- **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8 | sodium azide

A4

- **Product related hazard information:**

The product has been classified and marked in accordance with regulations on hazardous materials.

- **Hazard symbols:**

Xn Harmful

- **Hazard-determining components of labeling:**

sodium azide

- **Risk phrases:**

22 Harmful if swallowed.

- **Safety phrases:**

2 Keep out of the reach of children.

13 Keep away from food, drink and animal feedingstuffs.

36 Wear suitable protective clothing.

(Contd. on page 6)



**Material Safety Data Sheet**  
*acc. to ISO/DIS 11014*

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Positive Control (+)**  
**(Directigen Flu A Test Kit)**

(Contd. of page 5)

46 If swallowed, seek medical advice immediately and show this container or label.

**16 Other information:**

*To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

- **Department issuing MSDS:** Safety and Environment Department
- **Contact:** Technical Service Representative

USA

### 1 Identification of substance:

- **Product name:** Negative Control (-)  
(Directigen Flu A Test Kit)
- **Catalog number:** 256020
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Tel: (410) 771-0100 or (800) 638-8663
- **Information department:** Technical Services
- **Emergency information:**  
In case of a chemical emergency, spill, fire, exposure, or accident contact BD Diagnostic Systems at (410)771-0100 or (800)638-8663, or ChemTrec at (800)424-9300.

### 2 Composition/Data on components:

- **Chemical characterization:**
- **CAS No. Description:**  
Not applicable
- **Chemical characterization**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

26628-22-8	sodium azide	0.2%
------------	--------------	------

### 3 Hazards identification

· **Hazard description:**



Xn Harmful

- **Information pertaining to particular dangers for man and environment**  
R 22 Harmful if swallowed.
- **Classification system**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0-4)**



Health = 2  
Fire = 0  
Reactivity = 0

### 4 First aid measures

- **General information**  
Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

(Contd. on page 2)

**Product name: Negative Control (-)**  
**(Directigen Flu A Test Kit)**

(Contd. of page 1)

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** Immediately call a doctor.
- **Information for doctor** Show this product label or this MSDS.

### 5 Fire fighting measures

- **Suitable extinguishing agents**  
 CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:** Wipe up with damp sponge or mop.
- **Measures for cleaning/collecting:** No special measures required.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
 Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.
- **Further information about storage conditions:** None.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

26628-22-8 sodium azide

REL	Short-term value: C 0.3** mg/m <sup>3</sup> , C 0.1* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>
TLV	Short-term value: C 0.29** mg/m <sup>3</sup> , C 0.11* ppm *as HN <sub>3</sub> vapor; **as NaN <sub>3</sub>

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal Protective Equipment**
- **General protective and hygienic measures**  
 Keep away from foodstuffs, beverages and feed.  
 Wash hands before breaks and at the end of work.

(Contd. on page 3)

**Product name: Negative Control (-)**  
**(Directigen Flu A Test Kit)**

(Contd. of page 2)

- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

### 9 Physical and chemical properties:

· **General Information**

**Form:** Liquid  
**Color:** Colorless  
**Odor:** Characteristic

- **Change in condition**  
**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Not determined

- **Flash point:** Not applicable
- **Danger of explosion:** Forms very sensitive explosive metallic compounds.
- **Density:** Not determined

- **Solubility in / Miscibility with Water:** Soluble

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Materials to be avoided:**  
Incompatible materials: acidic material and metals  
Incompatible material: strong oxidizers.
- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:** No dangerous decomposition products known.
- **Additional information:**  
Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

USA

(Contd. on page 4)

**Product name: Negative Control (-)**  
**(Directigen Flu A Test Kit)**

(Contd. of page 3)

### 11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**26628-22-8 sodium azide**

Oral	LD50	27 mg/kg (rat)
------	------	----------------

· **Primary irritant effect:**

· **on the skin:** No irritating effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

Harmful

The product shows the following dangers according to internally approved calculation methods for preparations:

### 12 Ecological information:

· **Ecotoxicological effects:**

· **Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

· **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

### 13 Disposal considerations

· **Product:**

· **Recommendation**

Smaller quantities can be disposed of with solid waste.

This product is not considered a RCRA hazardous waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to state and federal regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **DOT regulations:**

· **Hazard class:** -

· **Land transport ADR/RID (cross-border)**

· **ADR/RID class:** -

· **Maritime transport IMDG:**

· **IMDG Class:** -

· **Marine pollutant:** No

(Contd. on page 5)

**Product name: Negative Control (-)**  
**(Directigen Flu A Test Kit)**

(Contd. of page 4)

- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

### 15 Regulations

- **SARA Section 355 (extremely hazardous substances)**

26628-22-8 | sodium azide

- **SARA Section 313 (specific toxic chemical listings)**

26628-22-8 | sodium azide

- **TSCA (Toxic Substances Control Act)**

26628-22-8 | sodium azide

- **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8 | sodium azide

A4

- **Product related hazard information:**

The product has been classified and marked in accordance with regulations on hazardous materials.

- **Hazard symbols:**

Xn Harmful

- **Hazard-determining components of labeling:**

sodium azide

- **Risk phrases:**

22 Harmful if swallowed.

- **Safety phrases:**

2 Keep out of the reach of children.

13 Keep away from food, drink and animal feedingstuffs.

36 Wear suitable protective clothing.

(Contd. on page 6)



**Material Safety Data Sheet**  
*acc. to ISO/DIS 11014*

Printing date 01/11/2006

Reviewed on 08/07/2003

**Product name: Negative Control (-)**  
**(Directigen Flu A Test Kit)**

(Contd. of page 5)

46 If swallowed, seek medical advice immediately and show this container or label.

**16 Other information:**

*To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

- **Department issuing MSDS:** Safety and Environment Department
- **Contact:** Technical Service Representative

USA